

LogBook Reporting
Transshipment (TRA)

At each transshipment of catches, report required by the provider ship as well as the ship of destination

Operation number (ON):	OOE20201116033300	Date (estimated) of the message transmission (OD):	2020-11-16	Time (estimated) of the message transmission (OT):	15:39
------------------------	-------------------	--	------------	--	-------

ERS	Recording number (RN):	OOE20201116033300	Date of message creation (RD):	2020-11-16	Time of message creation (RT):	15:39
-----	------------------------	-------------------	--------------------------------	------------	--------------------------------	-------

Information on the ship

CFR number (IR):	FRA000790948	Captain's name (MA):	Jean-Christophe LE GAL
Radio call sign number (RC):	FGRY	Captain's address (MD):	6 rue des chalutiers 29900 Concarneau
External ID (XR):	CC790948		
Name (NA):	VIA MISTRAL	Flag (FS):	FRA

Information on the transshipment report

Date (DA):	2020-11-16	Time (TI):	13:51	Port	CIABJ
CFR N° of the destination ship (IR):	PAN005124220				
Call Id of the destination ship (TT):	3FEZ2				
Flag of the destination ship (TC):	PAN				
CFR N° of the other provider ship(s) (RF):	FRA000790948				
Radio call sign number of the provider ship (TF):	FGRY				
Flag of the other provider ship(s) (FC):	FRA				

Position

Position Latitude (LT): 5.291 Longitude (LG): -4.015

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	15000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1 FAO - ICES subdivision (SD):
ICES statistical rectangle (SR):			
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	82000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		

Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	10000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	154000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	13000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):			

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	46000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	WHL
Nb of packaging units (NN):	
Average weight of units (AW): (Kg)	
Conditioning type (TY):	BUL
Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	8000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	WHL
Nb of packaging units (NN):	
Average weight of units (AW): (Kg)	
Conditioning type (TY):	BUL
Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	1000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	BET	Weight (WT): (Kg)	1000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	WHL
Nb of packaging units (NN):	
Average weight of units (AW): (Kg)	
Conditioning type (TY):	BUL
Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	115748	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	WHL
Nb of packaging units (NN):	
Average weight of units (AW): (Kg)	
Conditioning type (TY):	BUL
Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	7000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	TRI	Weight (WT): (Kg)	4000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	BET	Weight (WT): (Kg)	1000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	30000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):			

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	2000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	BET	Weight (WT): (Kg)	4000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	77000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):			

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	6000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	WHL
Nb of packaging units (NN):	
Average weight of units (AW): (Kg)	
Conditioning type (TY):	BUL
Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	1
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	29000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	WHL
Nb of packaging units (NN):	
Average weight of units (AW): (Kg)	
Conditioning type (TY):	BUL
Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	FRZ	Weight (WT): (Kg)	4000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):	
Preserving status (PS):	FRO
Fish presentation (PR):	

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	47		
FAO - ICES subarea (SA):	1	FAO - ICES division (ID):	2
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	AGO	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	43000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34		
FAO - ICES subarea (SA):	3	FAO - ICES division (ID):	5
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	STP	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	YFT	Weight (WT): (Kg)	103939	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34		
FAO - ICES subarea (SA):	3	FAO - ICES division (ID):	5
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	STP	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	BET	Weight (WT): (Kg)	35613	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):			

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34		
FAO - ICES subarea (SA):	3	FAO - ICES division (ID):	5
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	STP	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	FRZ	Weight (WT): (Kg)	4000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34		
FAO - ICES subarea (SA):	3	FAO - ICES division (ID):	5
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	STP	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	RUB	Weight (WT): (Kg)	6300	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34		
FAO - ICES subarea (SA):	3	FAO - ICES division (ID):	5
ICES statistical rectangle (SR):		FAO - ICES subdivision (SD):	
Economical zone (EZ):	STP	Fishing effort area (FE):	

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	1000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):			

	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34				
FAO - ICES subarea (SA):	3	FAO - ICES division (ID):	5	FAO - ICES subdivision (SD):	
ICES statistical rectangle (SR):					
Economical zone (EZ):	STP	Fishing effort area (FE):			

Transshipped catches

Species FAO code (SN):	SKJ	Weight (WT): (Kg)	5000	Nb of fishes (NF): (salmon or tuna)	
Fishing gear type (GE):	PS	Quantity in nets (NQ):		Nb of fishes in nets (NB): (tuna alive)	

Transformation/Presentation

Freshness category (FF):			
Preserving status (PS):	FRO		
Fish presentation (PR):	WHL		
Nb of packaging units (NN):		Conditioning type (TY):	BUL
Average weight of units (AW): (Kg)		Conversion factor (CF):	1

Fishing area (complete at least 1 field)

FAO area (FA):	34				
FAO - ICES subarea (SA):	4	FAO - ICES division (ID):	1	FAO - ICES subdivision (SD):	
ICES statistical rectangle (SR):					
Economical zone (EZ):	XIN	Fishing effort area (FE):			